



---

## Erratum to: Etiology and Morphogenesis of Congenital Heart Disease

Toshio Nakanishi, Roger R. Markwald, H. Scott Baldwin, Bradley B. Keller, Deepak Srivastava, and Hiroyuki Yamagishi

**Erratum to:**  
**T. Nakanishi et al. (eds.), *Etiology and Morphogenesis of Congenital Heart Disease*,**  
<https://doi.org/10.1007/978-4-431-54628-3>

The original online version of this book was inadvertently published with incorrect affiliation details of the editors. This has now been amended with the correct affiliation details.

---

The updated online version of this book can be found at  
<https://doi.org/10.1007/978-4-431-54628-3>

© Springer International Publishing AG, part of Springer Nature 2018  
T. Nakanishi et al. (eds.) *Etiology and Morphogenesis of Congenital Heart Disease*,  
[https://doi.org/10.1007/978-4-431-54628-3\\_55](https://doi.org/10.1007/978-4-431-54628-3_55)

---

# Index

## A

Ageing, 246, 247, 249, 250  
Airway clearance, 70, 71, 76  
Alk1, 141, 169, 170  
Alk3, 139, 164–165  
Alternative splicing, 223, 250  
Aneurysm, 39, 222, 225, 241, 242, 372, 375  
Angiogenesis, 322, 331  
Animal model, 15, 20–22, 26, 27, 29, 34, 50,  
68, 109, 116, 158, 186, 187, 315, 333,  
334, 362  
Annulus fibrosis, 13, 16, 163, 165, 166  
Aorta, 14, 16, 72, 154, 180, 187, 188, 202, 206,  
211, 212, 220, 222–224, 230, 231, 242,  
247–250, 255, 259, 322  
Aortic valve calcification, 373–375  
Aortic valve disease, 372–373  
Apoptosis, 22, 29, 96, 141, 155, 246, 249  
250, 315  
Atherosclerosis, 230, 246, 250, 325  
ATP-sensitive potassium channel, 263, 264  
Atrioventricular (AV) canal, 105, 146, 155,  
162, 171, 270–273, 357  
Autophagy, 128

## B

Ballooning, 118, 270, 271  
Bicuspid aortic valve (BAV), 16, 72, 149, 250,  
355, 363, 372–374  
BMP-2, 138–142, 164, 171, 172, 271, 273  
374, 375  
Bmp4, 140, 164  
BMPR2, 82, 141, 169  
BMP receptors (BMPRs), 139, 140, 164–165  
Bone morphogenetic protein (BMP), 15, 27,  
35, 82, 87, 138–141, 146, 147, 149,  
164–166, 169, 171, 180, 286

## C

Cardia bifida, 125  
Cardiac assist device, 23  
Cardiac cell fate, 5, 6, 8, 194, 315  
Cardiac cushions, 138, 154  
Cardiac development, 4, 5, 8, 40, 86, 94,  
104–108, 110–112, 125, 155, 189, 229,  
230, 306–308, 311, 314–316, 322, 326,  
362, 364, 372  
Cardiac disease, 12, 14–17, 316  
Cardiac excitation and conduction system, 270  
Cardiac function, 17, 20–22, 26, 29, 40, 55, 96,  
282, 300, 315, 330, 333  
Cardiac neural crest (CNC), 207, 223,  
228–231, 289, 362–368  
Cardiac pacemaker cells, 291  
Cardiac progenitor cells (CPCs), 22, 34, 85–89,  
178–181, 193, 296, 349, 350  
Cardiac regeneration, 4, 314–315, 330  
345, 346  
Cardiac repair and regeneration, 330  
Cardiac reprogramming, 6–9, 322, 324  
Cardiac stem cell (CSCs), 331, 345, 346  
Cardiac tissue, 20, 224, 308, 330–333, 335  
Cardiogenic mesoderm, 12  
Cardiomyocyte proliferation, 94, 96–99, 110,  
141, 142, 314, 315, 349  
Cardiomyocytes (CMs), 4, 6, 7, 15, 16  
Cardiomyopathy, 15, 21, 22, 106, 110  
111, 314  
Cardiovascular development, 42, 73, 169, 229,  
231, 314, 316, 357  
Cavum dorsale, 122  
Cell cycle, 6, 94–97, 99, 100, 180, 306  
323, 337  
Cell sheet, 20–23, 29  
Cell sheet engineering, 20–22  
Cell signaling, 38, 73

- Chamber formation, 289, 290  
 Chick embryo, 16, 118, 129, 205, 228, 230, 282, 290, 333  
 Cilia, 50, 58–62, 64, 68–73, 75–78  
 CITED2, 50, 377, 378  
 c-Jun N-terminal kinase (JNK), 242  
 c-kit, 16, 345  
 Clinical study, 20, 22, 72, 76, 326  
 Compaction, 104, 106, 110–112  
 Conditional knockout (cKO), 154, 158, 172, 189, 211, 212  
 Congenital heart defects (CHDs), 34, 178, 184, 187, 188, 193, 296, 306, 356, 358, 359, 362–364, 366, 368  
 Congenital heart disease (CHD), 4, 16, 34–41, 43, 52, 68–73, 75–78, 85, 136, 137, 159, 197, 198, 202, 211, 215, 250, 256, 264, 272, 301, 302, 321, 322, 324–326, 362, 372, 377, 378  
 Contractile system, 259, 260  
 Convergent evolution, 115  
 Copy number variants (CNVs), 356, 358–359  
 Coronary artery, 16, 110, 222, 224, 229–231, 241, 242, 334  
 Cripto, 81, 184–188  
 Cytolytic necrosis (CN), 246, 248–250
- D**  
 3-D, 20, 37  
 Damaged heart, 6, 20, 21, 349  
 Development, 4–8  
 Differentiation, 4, 14, 22, 26, 34, 87, 104, 121, 127, 141, 146, 154, 163, 169, 179, 186, 194, 206, 211, 223, 228, 233, 270, 281, 289, 291, 296, 306, 314, 321, 337, 341, 346, 358, 362  
 DiI, 116, 118, 120, 196  
 Dilated cardiomyopathy, 19, 21, 22, 314  
 Disease modeling, 338  
 Double outlet right ventricle (DORV), 72, 180, 187–189, 194, 308, 362, 364, 366, 368  
 Ductus arteriosus (DA), 246, 247, 249, 250, 254–256, 259, 260, 263, 264
- E**  
 Ejection fraction (EF), 21, 42, 97, 109  
 Elastic fiber, 149, 222, 223, 242, 254, 255  
 Embryo, 5, 16, 50, 58, 68, 87, 104, 116, 129, 140, 146, 154, 169, 172, 178, 184, 194, 205, 212, 216, 223, 228, 234, 237, 282, 290, 296, 307, 314, 330, 364  
 Embryonic stem cells (ESCs), 22, 26–28, 291, 292, 315, 331
- Endocardial cushion, 12, 74, 105, 146, 155, 158, 171, 172, 228, 273  
 Endocardium, 15, 35, 37, 39, 104, 105, 108–111, 138, 146, 154–157, 159, 169, 230, 364, 373  
 Endoderm, 26, 87, 125, 126, 180, 186, 188, 205, 206, 229, 286, 321  
 Endothelial cells (ECs), 4, 15, 17, 110, 118, 119, 154, 157, 234, 248, 249, 322, 323, 374, 375  
 Endothelin, 15, 229, 263, 289, 290, 324, 325  
 Endothelium, 15, 87, 110, 154, 156, 163, 169, 180, 233, 246, 349, 374  
 Engineered cardiac tissues, 21, 330–333, 335  
 Environmental modification, 215, 216  
 Epicardial cushion (EC), 117  
 Epicardial heterogeneity, 12  
 Epicardium, 12–17, 35, 37, 39, 104, 116–122, 162–164, 166, 349  
 Epicardium-derived cells (EPDCs), 12–17, 116, 118–121, 163–166  
 Epigenetic factors, 296, 297, 300–302  
 ETS-1, 362–364, 366, 368  
 Evolution and development, 116–122  
 Exome sequencing, 73, 356  
 Extracellular matrix (ECM), 5, 20, 138, 141, 146, 149, 157, 222–225, 254, 330, 332  
 Extracellular matrix proteins, 125, 141, 172, 241
- F**  
 Farnesylation, 250  
 Fate map, 86, 194, 195, 282–285, 287, 350, 368  
 Fetal reprogramming, 322–324  
 Fetus, 71, 72, 76, 211, 246, 259, 264  
 Fibroblasts, 4–8, 12, 13, 17, 26, 34, 39–41, 121, 163, 277, 296, 315, 324, 330, 341, 349  
 Filamin A, 36–38  
 First heart field (FHF), 12, 86, 87, 105, 178, 193, 194, 196, 289, 297  
 Fistulae, 16  
 Fluid flow, 58–62, 64  
 Fontan procedure, 51, 53, 54  
 Forkhead box2 (Foxc2), 211, 212
- G**  
 Gap junctions, 5, 20, 41, 333  
*Gata6*, 206, 207, 308  
 Gene, 5, 12, 34, 50, 61, 70, 81, 87, 94, 106, 129, 139, 147, 154, 169, 178, 184, 203, 212, 216, 222, 229, 233, 246, 259, 270, 282, 296, 306, 313, 322, 332, 341, 345, 356, 362, 372, 377

Genetic engineering, 54  
 Genetic modifier, 368  
 Genetics, 4, 6, 16, 28, 30, 34–36, 40–43, 50, 54,  
 64, 74, 76, 81, 82, 106, 110, 111, 121,  
 149, 178, 180, 194, 202, 203, 206, 215,  
 216, 222, 246, 254, 270–271, 283, 306,  
 308, 314–316, 324, 326, 337, 341, 350,  
 356, 358, 359, 362, 368, 372, 374  
 Glenn shunt, 51  
 Grafting, 17, 20–22, 87, 325  
 Growth factors, 5, 8, 21, 34, 35, 41, 222, 223,  
 322, 324, 330, 332

## H

*Hcn4*, 178, 270, 271, 273, 283, 286, 291, 292  
 Heart, 4, 12, 19, 26, 34, 49, 68, 85, 94, 104,  
 116, 125, 129, 136, 146, 154, 163, 172,  
 178, 184, 193, 202, 211, 215, 222, 228,  
 237, 250, 255, 264, 270, 282, 289, 291,  
 296, 306, 314, 322, 330, 337, 345, 349,  
 356, 363, 377  
 defects, 34, 35, 38, 71, 76, 155, 187, 363  
 development, 5, 27, 35–39, 85, 86, 96, 104,  
 105, 129, 164, 178, 189, 194, 229–230,  
 296, 297, 300, 302, 315, 356, 362–364,  
 368  
 field, 5, 86–87, 282, 283, 286, 287  
 injury, 38, 40, 41, 349  
 regeneration, 26, 27, 30, 97, 98, 314, 349,  
 350  
 surgery, 71, 78, 264  
 valve, 41, 146–150, 154  
 Hematopoietic stem cells, 39–41  
 Heterotaxy, 50–55, 68–73, 76, 81, 82,  
 186–188, 356  
 Histone modification, 272, 273, 357  
 Homology, 37, 110, 121, 122, 158, 368  
 Human, 4, 16, 26, 34, 50, 57, 70, 81, 109, 116,  
 146, 154, 166, 169, 178, 187, 216, 246,  
 254, 276, 296, 306, 313, 322, 330, 341,  
 356, 362, 372  
 Human embryonic stem cells (hESCs), 5, 321,  
 325, 337  
 Hutchinson-Gilford syndrome (HGPS)  
 246, 250  
 Hypoplastic left heart syndrome (HLHS), 322,  
 324, 337, 338, 356, 358, 363

## I

Induced pluripotent stem cells (iPSCs), 26,  
 28–30, 90, 321, 324, 325, 331, 337, 338,  
 341, 342  
 Infarction, 16

Inflow tract, 197, 270, 282, 289, 290, 296  
*Inlet septum*, 117–122  
 Insulin-like growth factor-1 (IGF-1), 346  
 Interrupted aortic arch (IAA), 72, 202, 211,  
 212, 215  
 Intimal thickening, 246, 247, 250, 254–257  
 Intracellular calcium, 237, 238, 259  
 Ischemic heart, 19  
*Ist1*, 211

## J

Jacobsen syndrome, 362–364, 366, 368

## K

Kawasaki disease, 225, 241, 242  
 Kinases, 35–37, 41, 96, 98, 99, 125, 154–157,  
 159, 184, 259, 260

## L

Lamin A (*LMNA*), 246  
 Lamin A/C, 248, 250  
 Lateral plate mesoderm (LMP), 50, 51, 58, 68,  
 81, 86, 104, 125, 186, 188, 223, 284,  
 287, 299, 300, 315  
 Laterality defects, 70, 71, 73, 74, 76  
 186–189, 286  
 Left isomerism, 49, 50, 52  
 Left ventricular assist devices (LVADs), 19, 22  
 Left ventricular non-compaction (LVNC), 106,  
 109–112  
 Left-right asymmetry, 50–55, 81, 184, 186, 189  
 Left-right axis, 50, 68, 184  
 Left-right patterning, 68–73, 75–78, 189  
*Lefty2*, 50, 184  
 Lentivirus, 41  
 Lineages, 5, 26, 34, 39–42, 94, 116, 146,  
 177–180, 196–198, 282, 283, 290, 315,  
 321–323, 325, 326, 331, 332, 337, 345,  
 349, 350, 364, 368  
 Long non-coding RNAs (lncRNAs), 313–316

## M

Matricellular proteins, 34, 35, 41, 222  
*Meis1*, 94–97, 99, 100, 274  
 Methylation, 316, 357, 377, 378  
 MicroRNAs (miRNAs), 5, 41, 313  
 Monocilia, 50  
 Motile cilia, 50, 58–61, 64, 68–70, 73, 76  
 Mouse model, 73, 111, 146–148, 150, 154,  
 324, 362, 374  
 mRNA expression, 96, 323, 378

- Mutation, 34, 61, 68, 81, 99, 106, 129, 147, 155, 169, 179, 186, 205, 222, 234, 271, 296, 315, 324, 356, 372, 377
- Myocardial infarction (MI), 16, 21, 22, 29, 96, 315, 316, 334, 349
- Myocardial regeneration, 20, 22, 292
- Myocyte, 5, 8, 40, 41, 94, 96, 282, 283, 286, 322–324, 346, 350
- N**
- Neoteny, 122
- Neovascularization, 21, 349
- Neural crest (NC), 129, 172, 203, 205, 206, 228, 229, 365, 368
- Nkx2-5*, 87, 270, 271, 273–275, 283, 284, 286, 287, 300, 306, 307, 338
- Nodal
- flow, 50, 58, 61–63, 68
- signaling, 35–36, 68, 184, 185, 187–189
- Notch signaling, 16, 106–108, 111, 142, 233, 234, 271, 374, 375
- O**
- Optical mapping, 282, 283
- Organ replacement, 23
- Outflow tract (OFT), 86, 87, 105, 121, 122, 138, 142, 146, 172, 177, 179, 193, 195–197, 207, 211, 212, 215, 216, 228, 286, 296, 306, 362, 373
- P**
- Pacemaker, 270–274, 291, 292
- Paracrine, 5, 17, 21, 41, 330, 333
- Periostin, 35–40, 42, 141
- Persistent ductus arteriosus (PDA), 246
- Pitx2*, 50, 51, 189, 286
- Placenta, 237, 238, 246, 263
- Pluripotent stem cells (PSCs), 4, 26, 90, 321, 322, 324–326, 331, 337, 338
- Podoplanin, 116, 120
- Polycomb-group protein, 306
- Pompe disease, 341, 342
- Postotic, 228–231
- Potassium channel openers (KCOs), 263, 264
- Preotic, 229–231
- Primary ciliary dyskinesia, 68
- Primary heart field (PHF), 211, 212, 284, 306, 308
- Primitive ventricle, 104, 122
- Proepicardial organ (PEO), 116, 224
- Progerin, 246–250
- Prostaglandin E<sub>2</sub>, 253–257
- Protein-losing enteropathy (PLE), 52
- Purification, 27
- Purkinje fiber, 15, 16, 178, 283
- Q**
- 22q11.2 deletion syndrome (22q11DS), 202, 203, 205, 207, 215, 216, 228, 229
- Quail–chicken chimera, 14, 116, 118
- R**
- Reentry tachycardias, 16
- Regeneration, 4, 17, 40, 55, 86, 90, 94, 96, 222, 223, 314, 330, 345, 349, 350
- Regenerative medicine, 4–8, 23, 30
- Remodeling, 5, 17, 21, 34, 36, 38, 42, 146, 154–157, 179, 211, 212, 222–225, 241, 242, 254, 256, 298, 300, 301, 306, 314–315, 357, 360
- Right isomerism, 49, 51–52
- S**
- Secondary heart field, 211, 212, 284
- Second heart field (SHF), 12, 87, 105, 178–181, 193–197, 202, 207, 215, 223, 228, 229, 289, 297, 306
- Semilunar valves, 12, 154, 155, 157, 230, 231
- Septa, 35, 41, 116, 121, 138
- Septal band, 117, 118, 121, 122
- Signal transduction, 106
- Single-cell transcriptomics, 86, 88–89
- Skeletal myoblasts, 20, 21
- Smooth muscle cells (SMCs), 14, 87, 121, 163, 180, 222–225, 229–231, 234, 248–250, 254, 259, 260, 349, 350
- Somite level, 284
- Sphingosine-1-phosphate (S1P), 125
- Stem cell, 16, 17, 21, 26, 28, 29, 39, 228, 306, 308, 331, 345
- Sulfonylurea, 263, 264
- SWI/SNF-type chromatin remodeling factors, 298
- T**
- T-box* genes, 296
- Tbx1*, 179, 196, 205, 207, 215, 216, 306
- Tbx5* expression, 87, 116, 121, 122, 272, 297, 306
- Tdglf1*, 186
- Temperature-responsive culture dishes, 20
- Tenascin, 222
- Tenascin-C (TNC), 222–224, 241

- Tertiary heart field, 284  
Thyroid hormone receptor, 129, 130, 228  
Tie1, 154–157, 159  
TMEM100, 169  
Trabeculation, 104, 108, 109, 121, 137, 142  
Transcription factors, 4–9, 34, 87, 94, 121, 128, 141, 146, 164, 178, 180, 181, 184, 196, 205, 211, 215, 233, 270–275, 283, 286, 295–302, 322, 362, 374  
Transcriptional silencing, 306  
Transforming growth factor- $\beta$  (TGF- $\beta$ ), 35, 37, 39, 58, 73, 81, 82, 139, 140, 149, 184, 185, 187, 196, 197, 346  
Transplantation, 4, 19, 22, 26, 28–30, 53, 54, 116, 290  
Truncus arteriosus, 202, 207, 215, 216, 228
- V**  
Valves, 35, 38, 40, 41, 138, 146, 147, 149, 154, 155, 162–164, 166, 170, 172, 250, 273, 373  
Valvulogenesis, 139, 148, 155, 373  
Valvulopathies, 16  
Valvuloseptal morphogenesis, 34, 39, 171  
Vascular biology, 246  
Vascular development, 169, 222–225, 233, 234, 237, 238  
Vascular networks, 20, 234, 349  
Vascular pathology, 250  
Ventricles, 12, 21, 41, 42, 51, 52, 87, 104, 106, 110, 116, 118, 120–122, 136, 137, 177–180, 187, 193, 194, 196, 197, 211, 233, 270, 271, 290, 296–298, 300, 301, 308, 359  
Ventricular arrhythmias, 22  
Ventricular septal defect (VSD), 34, 70, 72, 116, 121, 122, 180, 187, 203, 211, 215, 233, 363, 366  
Ventricular septum, 15, 116, 117, 122, 138, 172, 187, 206, 289, 297, 298
- W**  
Williams syndrome, 324–325  
Wnt signaling, 27, 60, 64, 73, 87, 146, 149, 179–180, 271, 282, 285–287
- Z**  
Zebrafish, 110, 179, 186, 193–197